















Shown with standard packaging



Expedite your banner stand setup time while adding lavish appeal with our newest EZ Tube fabric display - the EZ Extend! Customize a single-sided (choose white or black back fabric) or double-sided dye-sublimated stretch fabric print. To assemble, secure the longest vertical poles onto the black steel base using the included allen wrench. Add the bottom horizontal support pole and secure. Snap on the remaining vertical poles, then top frame with the curved bar to complete. Tilt or lay down the frame to swiftly drape with the pillowcase graphic. Using the industrial-sized zipper, zip underneath the bottom support pole, maximizing fabric tension.

DISPLAY DIMENSIONS	61"W x 138"H x 10"D
GRAPHIC SIZE	62" W x 138"H

GRAPHIC MATERIAL

Stretch fabric

GRAPHIC FINISHING

Sewn on left, right, and top with a zipper at the bottom

DISPLAY CONSTRUCTION

Steel base with aluminum tube frame (1.125" / 28.5mm dia.)

SHIPPING	WEIGH	15 & L	IME	NSIONS	
	Shinning	Weight	27	lhe (stand	only

Shipping Weight 27 lbs (stand only) 29 lbs (with graphic)

Shipping Dimensions 62"L x 12.5"W x 4"H

LARGE QUANTITY FREIGHT

Freight Shipping 40 boxes per 48"L x 40"W x 49"H skid

Freight Weight 1125 lbs (frame only)
1205 lbs (frame and graphic)

GRAPHIC TURN AROUND TIME

2 business days after proof approval


AVAILABLE ACCESSORIES

60" Silver bag EZ Tube LED Light - Silver or Black

AVAILABILITY CA and PA




EZ Tube LED Light - Silver or Black



PARTS LIST




Qty.1 - Steel base w/ allen key & screws




Qty.2 - 32" tube



Qty.8 - 24" tube



Qty.1 - 60" Top tube





Qty.1 - 60" Bottom tube


SET UP INSTRUCTIONS


EZEXTEND FABRIC DISPLAY

















Snap tubes together.



Screw base to tube with threaded bottom.



Cover frame with fabric graphic.

To assemble, secure the longest vertical poles onto the black steel base using the included allen wrench. Add the bottom horizontal support pole and secure. Snap on the remaining vertical poles, then top frame with the curved bar to complete. Tilt or lay down EZEXTEND to swiftly drape with the pillowcase graphic. Using the industrial-size zipper, zip underneath the bottom support pole, maximizing fabric tension.



