



GLM DISPLAYS

LIGHTBOX DISPLAYS

GLM SELECT - 8 FT SEG POP UP DISPLAYS


PRODUCT CODE: OC-SEG3X3



Non-Lit Front View



Front View



Back View

PRODUCT DESCRIPTION

Portable and affordable One Choice SEG Pop Up is a quality LED backlit display. Geometric frame expands to set up and shrinks down to put away for convenient storage, shipping or toting. Use step-and-repeat or any edge-to-edge custom design. Silicone-edge, dye sub fabric graphics cover front, sides and rear of backwall.

FEATURES

DISPLAY DIMENSIONS

- 88 1/2" W x 89" H x 15" D

GRAPHIC DIMENSIONS

- 117 3/4" W x 88 3/4" H (Front - Includes End Caps)
- 88 1/2" W x 88 3/4" H (Backside)

GRAPHIC MATERIAL

- Dye-Sub Fabric

GRAPHIC FINISHING

- Silicone beading is sewn around the perimeter of the fabric graphic. Silicone beading is hidden from view once installed.

DISPLAY CONSTRUCTION

- Aluminum frame

WEIGHTS & DIMENSIONS (WITH STAND & GRAPHICS)

SHIPPING WEIGHTS

- (Qty 1): 66 lbs

PACKAGE DIMENSIONS

- (Single Box): 16" L x 16" W x 38" H

TURNAROUND TIME

GRAPHIC PACKAGE

- 2 business days after proof approval*

AVAILABILITY

- WEST COAST FULFILLMENT CENTER

*After proof approval, for up to 4 sets. Reply with approval via e-mail by 4:00pm PT the day prior to the assigned ship date.



ON FRAME



ON GRAPHIC



DOUBLE SIDED



INDOOR





GLMDISPLAYS

LIGHTBOX DISPLAYS

GLM SELECT - 8 FT SEG POP UP DISPLAYS

PRODUCT CODE: OC-SEG3X3




LED FEATURES

EDGE LIGHTS



JUMPER CORDS



LED STRIP FEATURES

POWER PER LED PEARL
• 4.5 W

LM / W
• 104

VOLTAGE INPUT
• 24V

POWER PER LED BAR
• 90 W

AVG LM / m²
• 4100 - 5400

CORRELATED COLOR TEMPERATURE (CCT)
• 7236K

TRANSFORMER FEATURES

INPUT (AC)
• 100 / 120V

POWER RATE
• 95W

OUTPUT (DC)
• 24V



GLMDISPLAYS

LIGHTBOX DISPLAYS

GLM SELECT - 8 FT SEG POP UP DISPLAYS

PRODUCT CODE: OC-SEG3X3



PARTS LIST



QTY 1:
Travel Bag with Wheels

Outside Dimensions:
• 35" L x 13" W x 10" H
Inside Dimensions:
• 35" L x 13" W x 10" H



QTY 1:
3x3 Pop Up Frame

• 34 1/8" L x 6 1/2" W x 7 1/4" H
(Collapse Frame)



QTY 8:
3 Sectional Channel Bars

• 85 7/8" L x 1 1/16" W
(When assembled)



QTY 1:
Channel Bar Bag

Outside Dimensions:
• 32" L x 6" W x 3 1/2" H
Inside Dimensions:
• 31 1/2" L x 6" W x 2" H



QTY 2:
Stabilization Feet

• 23 1/4" L x 2 3/8" W x 3/8" H



GLMDISPLAYS

LIGHTBOX DISPLAYS

GLM SELECT - 8 FT SEG POP UP DISPLAYS

PRODUCT CODE: OC-SEG3X3



PARTS LIST



QTY 1:
Edge Light Travel Bag

Outside Dimensions:
• 28" L x 6" W x 7 1/4" H
Inside Dimensions:
• 28 1/4" L x 6 1/8" W x 6 3/4" H



QTY 6:
Edge Lights

• 26 3/8" L x 13/8" W x 13/4" H



QTY 3:
Edge Light Jumper Cords

• 82" H



QTY 3:
Transformers

• 5 1/8" L x 2 1/4" W x 1 1/4" H
(Transformer)
• 58" L
(Cord Length)



QTY 3:
Power Cords

• 40" L



CARE SHEET - DYE-SUB FABRIC

HANDLING TIPS

1. If your exhibit fabric has a zipper, please keep zipper closed for storage.
2. Wrinkles can be removed with cool iron or fabric steamer.
3. Fabric should NOT be stored when damp or wet. Store in cool, dry area.
4. For storing graphics please remove from plastic packaging that was provided and keep fabric in cool/dry place.

WASHING

1. Your fabric graphic can be machine washed. Remove any hardware attached to the fabric prior to cleaning. Use MILD soap and cool water. Air dry fabric, dry on frame if frame is available.
2. Fabric must be COMPLETELY dry prior to storing.
3. DO NOT DRY CLEAN

STAIN TREATMENT

1. Treat stain from backside of fabric.
2. Remove as much debris as possible with a soft bristle brush (do NOT rub too hard).
3. Use a clean, lint-free white cloth. Lightly pat the stain from the outside moving in (to keep stain from spreading).
4. If a cleaning solution is used, rinse the area well with water to ensure NO solution is left on fabric.
5. Most stains can be treated with household fabric stain removers. It is ALWAYS important to test how the solution will react to the fabric. This can be tested by dabbing solution to a small corner of the fabric. Most household cleaners will provide treatment instructions depending on the type of stain.



- Wrinkles can be removed from fabric with a cool iron or steamer.



- Fabric can be machine washed - use cold water, delicate cycle.



- Do NOT bleach fabric



- Do NOT tumble dry. Fabric must be air dried on the frame to prevent shrinking.