FS OR-G-HE4

FS OR-G-HE5

FS OR-G-HE6

49” width

83.75” height

Helios
10’ x 10’ Truss System
UV Printed

TEMPLATE IS @ 1/2 SCALE
Panels HE1 and HE3:
Total Graphic Area: 50”w x 84.75”h
Finished Size: 49”w x 83.75”h
Visual Size: 47”w x 81.75”h

Panel HE2:
Total Graphic Area: 48.75”w x 84.75”h
Finished Size: 47.75”w x 83.75”h
Visual Size: 45.75”w x 81.75”h

Panels HE4 and HE6:
Total Graphic Area: 94.25”w x 7”h
Finished Size: 93.25”w x 6”h
Visual Size: 93.25”w x 6”h

Panel HE5:
Total Graphic Area: 47”w x 7”h
Finished Size: 46”w x 6”h
Visual Size: 46”w x 6”h

Panel HE7:
Total Graphic Area: 26.75”w x 38.75”h
Finished Size: 25.75”w x 37.75”h
Visual Size: 25.75”w x 37.75”h

Template requires 1/4” bleed around the perimeter (1/2” bleed around the perimeter when scaled to 200% and printed)

FS = Graphic is front side mounted (3/4” w magnet is applied to the back of the panel)
BS = Graphic is back side mounted (3/4” w velcro is applied to the front of the panel)
Notching = 7/8” square that is cut into the appropriate location.
Hinging= 3/4” strip of material that is cropped from the panel and reapplied with hinge tape. Allows two graphics to share the same extrusion corner.

General Art Guidelines:

- CMYK Color Mode
- All Solid Coated Pantone colors should be called out in the art as spot colors
- Embed all images and support files
- Resolution must be 200-240 ppi @ 1/2 size, 100-120ppi @ 100% size
- All fonts must be created to outlines
- Do not scale artboard
- Background color/images must bleed to the edge of artboard
- Do not use spot colors from template in your artwork as they will not print

BS
OR-G-HE1

47.75” width

BS
OR-G-HE2

49” width

BS
OR-G-HE3

gray area will be obstructed once finished and mounted

bleed area

trim line

25.75” width

37.75” height

FS
OR-G-HE7

Helios
10’ x 10’ Truss System
UV Printed



TEMPLATE IS @ 1/2 SCALE
Panels HE1 and HE3:
Total Graphic Area: 50”w x 84.75”h
Finished Size: 49”w x 83.75”h
Visual Size: 47”w x 81.75”h

Panel HE2:
Total Graphic Area: 48.75”w x 84.75”h
Finished Size: 47.75”w x 83.75”h
Visual Size: 45.75”w x 81.75”h

Panels HE4 and HE6:
Total Graphic Area: 94.25”w x 7”h
Finished Size: 93.25”w x 6”h
Visual Size: 93.25”w x 6”h

Panel HE5:
Total Graphic Area: 47”w x 7”h
Finished Size: 46”w x 6”h
Visual Size: 46”w x 6”h

Panel HE7:
Total Graphic Area: 26.75”w x 38.75”h
Finished Size: 25.75”w x 37.75”h
Visual Size: 25.75”w x 37.75”h

Template requires 1/4” bleed around the perimeter (1/2” bleed around the perimeter when scaled to 200% and printed)

FS = Graphic is front side mounted (3/4“ w magnet is applied to the back of the panel)
BS = Graphic is back side mounted (3/4“ w velcro is applied to the front of the panel)
Notching = 7/8” square that is cut into the appropriate location.
Hinging= 3/4” strip of material that is cropped from the panel and reapplied with hinge tape. Allows two graphics to share the same extrusion corner.

BS
OR-G-HE1

General Art Guidelines:

- CMYK Color Mode
- All Solid Coated Pantone colors should be called out in the art as spot colors
- Embed all images and support files
- Resolution must be 200-240 ppi @ 1/2 size, 100-120ppi @ 100% size
- All fonts must be created to outlines
- Do not scale artboard
- Background color/images must bleed to the edge of artboard
- Do not use spot colors from template in your artwork as they will not print

BS

OR-G-HE2

BS

OR-G-HE3

gray area will
be obstructed
once finished
and mounted

bleed area

trim line

FS OR-G-HE4

FS OR-G-HE5

FS OR-G-HE6

FS

OR-G-HE7