

LUMIÈRE CONFIGURATION - D

LUMIÈRE LIGHT WALL


PRODUCT CODE: LLW20D



On frame On graphic



Shown with optional feet



Straight Connector

PRODUCT DESCRIPTION

Illuminate your message with the Lumiere Light Wall! Lumiere ladder lights make backlit graphics pop on this innovative combo display of silicone-edge graphics and portable RPL fabric pop ups. Plus, the Lumiere shrinks down in size: simply collapse the geometric frame and the SEG bungeed channel bars, and fold or roll the fabrics graphics. Setup requires 1 person and 5-10 minutes. SEG portability is easy and stylish.

| | |
|---|---|
| DISPLAY DIMENSION | 236.2" W x 88.6" H x 14.5" D |
| GRAPHIC DIMENSIONS | |
| 4X3 MAIN GRAPHICS | 118.5" W x 89" H (4 Graphics) |
| 4X3 END CAP GRAPHICS | 14.25" W x 89" H (2 Graphics) |
| FRAME CONFIGURATION QUANTITY | |
| 4X3 FRAME | 2 Frames |
| GRAPHIC MATERIAL | |
| UV Backlit Fabric | |
| GRAPHIC FINISHING | |
| Silicone beading is sewn around the perimeter of the fabric graphic. Silicone beading is hidden from view once installed. | |
| DISPLAY CONSTRUCTION | |
| Aluminum Frame | |
| LADDER LIGHTS SPECIFICATION | |
| EACH LIGHT BEAD | 0.8W |
| ANGLE | 160° |
| OPERATING VOLTAGE | DC12V/24V |
| TOTAL WATTAGE | 1036.8W |
| TOTAL AMPERAGE | 86.4A |
| TRANSFORMER SPECIFICATION | |
| OUTPUT | 12V/29A |
| INPUT | 100-120VAC/6.8A 200-240VAC/3.4A 50/60Hz |
| SHIPPING WEIGHTS & DIMENSIONS | |
| Lumiere Ladder Lights (2 boxes total) | |
| Shipping Weight | 31 lbs (each box) |
| Shipping Dimensions | 13" L x 12" W x 37" H (each box) |
| 4x3 Lumiere Light Wall (2 boxes total) | |
| Shipping Weight | 35 lbs (frame only) (each box) 39 lbs (with graphics) (each box) |
| Shipping Dimensions | 34" L x 14" W x 9" H (each box) |
| GRAPHIC TURN AROUND TIME | |
| 2 business days after proof approval | |
| AVAILABILITY | CA and PA |

AVAILABLE ACCESSORIES



La Caja Case



Tahoe Case



Hard Case Podium



Medium Hard Case



Half Hard Case



Genie Counter Case



Qty 4 -Stabilization Feet

LUMIÈRE CONFIGURATION - D

LUMIÈRE LIGHT WALL

PRODUCT CODE: LLW20D

PARTS LIST



Qty 2 - Pop Up Frame



Qty 8 - 4 Section
Channel Bars



Qty 8 - 3 Section
Channel Bars



Qty 8 - End Cap
Channel Bars




Qty 2 - Carry Bag



Qty 2 - Channel Bar Bag



Qty 6 - Straight Connector



Qty 8 - Ladder Lights




Qty 8 - Transformers



Qty 2 - Transformer
Power Cord



Qty 8 - Male / Female
Transformer Connector
Cords



Qty 32 - Middle Light
Brackets



Qty 32 - Top/Bottom
Light Bracket

LUMIÈRE CONFIGURATION - D

LUMIÈRE LIGHT WALL


PRODUCT CODE: LLW20D

SET UP INSTRUCTIONS


Set Up Pop Up Frame



a. Place frame with the adjustable feet facing down.




b. Expand the frame.




c. Close frame by pushing the outside of the frame until male and female ends connect.


Insert Channel Bars



a. Expand each channel bar. Follow bungee to connect.



b. Attach channel bars to frame.



c. Slide channels bars onto frame, from top to bottom, then secure onto metal peg.



d. Attach the top and bottom end-caps on each side of the frame.


Hook Ladder Lights




a. Hang ladder lights by placing the brackets on the top and bottom of the frame.



b. Snap brackets onto ladder lights. Then place brackets on the top and bottom middle frame.



c. Place transformers on the bottom of the frame by snapping onto the cross sections.



d. Connect all wire transformers and ladder lights together. Then plug each transformers together.

Install Graphic



a. In each corner, insert the silicone edge beading into the groove.



b. Then insert the remainder of the beading. Repeat backlit installation for the back frame.




c. Then repeat graphic installation on the end caps for each side.

LUMIÈRE CONFIGURATION - D

LUMIÈRE LIGHT WALL
PRODUCT CODE: LLW20D

SET UP INSTRUCTIONS

Connecting Wall




Place the (2) 4x3 frames side by side.

Note: Rendering shown without graphics for clarity.


Straight Connection




*Starting from behind, make sure the frames are flushed next to each other.



Slide Straight Connector onto the channel bars of both frames.



Turn dial to the left to lock the Straight Connector in place. Repeat for each vertical sections (6 total).




*Back side of the 4x3's shown above.

LUMIÈRE CONFIGURATION - D

LUMIÈRE LIGHT WALL
PRODUCT CODE: LLW20D

TEMPLATE GUIDE

Front View



Back View

