













SUPPORT CONNECTION

MAGNETIC WIRE CONNECTION

PRODUCT DESCRIPTION

The advanced technology of the new SEGO modular lightbox system combines innovation with intuition. Toolless down to its feet, SEGO is designed to help heighten your display experience. Magnetic electrical connectors light up the UL certified LED lights that come pre-installed in the profiles. Electrical wires stay hidden from view. Edge-to-edge customizable SEG backlit fabric graphics cover the front and back of the aluminum frame. Portable, configurable, desirable, SEGO is a lightbox unlike the others. SEGO is so well thought out, even its durable foam cut carry bag is made distinctly to keep all parts and pieces protected and organized.

DISPLAY DIMENSIONS	78.375"W x 88.25"H x 16.5"D
GRAPHIC SIZE	78.125"W x 88.625"H

GRAPHIC MATERIAL

Dye Sub Backlit Fabric

GRAPHIC FINISHING

Silicone beading sewn onto edge of graphic

DISPLAY CONSTRUCTION

Aluminum extrusion frame with plastic components

SHIPPING WEIGHTS & DIMENSIONS

Shipping Weight	30 lbs (frame only)
(Each Box - 2 boxes total)	32 lbs (frame & graphic)

Shipping Dimensions 54.5"W x 15.5"H x 6.75"D (each)

GRAPHIC TURN AROUND TIME

CERTIFICATES UL, CE, GEM
VOLTAGE INPUT 100-240V
VOLTAGE OUTPUT 24V

2 business days after proof approval (up to 5 sets)


AVAILABILITY CA

LED LIGHT SPECIFICATION		LUMENS	
BRAND	Osram	VOLTAGE (V)	24
POWER	3W	POWER (W)	180
CCT (COLOR TEMP)	6800k	LM/W	130
AVERAGE BEAM ANGEL	20 °	TOTAL LM	23400
LM/W	130	AVG LM	5850
AVG LM/M ²	4800-5800	CU	.8
VOLTAGE INPUT	24V	EAV	4680
TRANSFORMER SPECIFICATION			
POWER RATE 2	95W, 252W		
TRANSFORMERS			




CLEAN CABLE MANAGEMENT


PARTS LIST




AVAILABLE ACCESSORIES




SEGO-SKIT SEGO Shelf Kit




SEGO-HP SEGO Hanging Pole for Shelf Kit




SEGO-SCON SEGO Straight Connector




SEGO-MM SEGO Monitor Mount



SEGO-BC SEGO Bridge Connector



SEGO-ILCON
SEGO L Connector Inside



SEGO-OLCON SEGO L Connector Outside



SEGO-HLCON SEGO High-low Connector

SET UP INSTRUCTIONS

