SEGO CONFIGURATION C - 10X10 SEGO MODULAR LIGHTBOXES PRODUCT CODE: SEGO-C-10x10







PRODUCT DESCRIPTION

The advanced technology of the new SEGO modular lightbox system combines innovation with intuition. Toolless down to its feet, SEGO is designed to help heighten your display experience. Magnetic electrical connectors light up the UL certified LED lights that come pre-installed in the profiles. Electrical wires stay hidden from view. Edge-to-edge customizable SEG backlit fabric graphics cover the front and back of the aluminum frame. Portable, configurable, desirable, SEGO is a lightbox unlike the others. SEGO is so well thought out, even its durable foam cut carry bag is made distinctly to keep all parts and pieces protected and organized.

and organized.					
DISPLAY DIMENSIONS		236	236"W x 88.25"H x 16.5"D		
GRAPHIC SIZE		78.125"W x 88.625"H (backwall)		wall)	
		39.75"W x 88.625"H (arch & support)			
GRAPHIC MATERIAL					
Dye Sub Backlit Fabric					
GRAPHIC FINISHING					
Silicone beading sewn onto edge of graphic					
DISPLAY CONSTRUCTION					
Aluminum extrusion frame with plastic components					
SHIPPING WEIGHTS & DIMENSIONS					
Shipping Weight		55 lbs (frame only)			
Large Frame		60 lbs (frame & graphic)			
Shipping Weight		30 lbs (frame only)			
Small Frames		32 lbs (frame & graphic)			
Shipping Dimensions 54.			5"W x 15.5"H x 6.75"D (per box)		
GRAPHIC TURN AROUND TIME					
2 business days after proof approval (up to 2 cofigurations)					
AVAILABILITY CA					
LED LIGHT SPECIFICATION			LUMENS (BACKWALL)		
BRAND	Osram		VOLTAGE (V)	24	
POWER	3W		POWER (W)	180	
CCT (COLOR TEMP)	6800k		LM/W	130	
AVERAGE BEAM ANGEL	20 °		TOTAL LM	23400	
LM/W	130		AVG LM	5850	
AVG LM/M ²	4800-5800)	CU	.8	
VOLTAGE INPUT			EAV	4680	
TRANSFORMER SPECIFICATION			LUMENS (ARCH & SUPPORT)		
POWER RATE 2	95W, 252W		VOLTAGE (V)	24	
TRANSFORMERS			POWER (W)	90	
CEDTIEICATES	UL CE GEM				

CERTIFICATES UL, CE, GEM

VOLTAGE INPUT 100-240V

VOLTAGE OUTPUT 24V







LM/W 130


TOTAL LM 11700

 AVG LM
 5850


 CU
 .8


 EAV
 4680

PARTS LIST



SET UP INSTRUCTIONS SEGO 200X225 FRAME








 \bigcirc










0















SEGO 100X225 FRAME ASSEMBLY












0



FRAME CONNECTION

