Paulson KIL
20' X 20' - KIL 07

TEMPLATE V 1.0 SES

Graphic A and B
Graphic A and B include:
Graphic A and B Shade
Total Graphic Area: 1,180.17 sq = 154.68% %
Printed Graphic Area: 580.37 sq = 75.68% %
Graphic A and B Shade
Total Graphic Area: 599.79 sq = 157 %
Printed Graphic Area: 386.79 sq = 51.39 %

Graphic C
C panels is made 11 chevron
Graphic C shade
Total Graphic Area: 131.275 sq 28.5 %
Printed Graphic Area: 131.275 sq 28.5 %
Graphic D shade
Total Graphic Area: 131.275 sq 28.5 %
Printed Graphic Area: 131.275 sq 28.5 %

Graphic D and E
D panels is made 11 chevron
Graphic D and E shade
Total Graphic Area: 79.875 sq = 8.8 %
Printed Graphic Area: 79.875 sq = 8.8 %
Graphic D and E Shade
Total Graphic Area: 131.275 sq = 14.5 28.5 %
Printed Graphic Area: 87.75 sq = 12.25 % %

Please be sure to include 1" bleed around the outside of your graphic panels.

Please consider distortion when designing your graphics.

General Art Guidelines:

- CMYK Color Mode
- Please be sure that your theme colors should be called out in Pms or as spot colors
- Embed all images and support files
- Resolution of images should be at 144 ppi, 100-120 ppi at full size
- All fonts must be created to outlines
- Do not scale artboard
- Background rollerimages must be 1" bleed on all four sides
- Do not use spot colors from template in your artwork as they will not print




OUTSIDE
GRAPHIC A
INSIDE
GRAPHIC A
bleed area
trim line
safe area


OUTSIDE
GRAPHIC B
INSIDE
GRAPHIC B
bleed area
trim line
safe area

OUTSIDE
GRAPHIC C

SOLID COLOR OR PATTERN ONLY

INSIDE
GRAPHIC C

SOLID COLOR OR PATTERN ONLY


OUTSIDE
GRAPHIC D


INSIDE
GRAPHIC D

INSIDE
GRAPHIC E

OUTSIDE
GRAPHIC E